



PRODUCT CATALOGUE



TABLE OF CONTENTS

GENERAL PURPOSE

Krylon® Fusion All-In-One®	4
Krylon Fusion All-In-One Clear Finish	5
Krylon Fusion All-In-One Hammered Finish	5
Krylon Fusion All-In-One Metallic Finish	5
Krylon Fusion All-In-One Textured Finish	5
Krylon COLORmaxx®	6
Krylon COLORmaxx Metallic Finish	7
Krylon COLORmaxx Acrylic Crystal Clear	7
Krylon COLORmaxx Primer	7
Krylon COLORmaxx Brush-On	8

LOW-END GENERAL PURPOSE

COLOUR ALL Enamel Paint	10
-------------------------	----

RUST PREVENTIVE

Krylon Rust Protector™ with Anti-Rust Technology™ Enamels	11
Krylon Rust Protector with Anti-Rust Technology Clear Finish	11
Krylon Rust Protector with Anti-Rust Technology Metallic Finish	12
Krylon Rust Protector with Anti-Rust Technology Primers	12
Krylon Rust Protector with Anti-Rust Technology Galvanizing Primer	12
Krylon Rust Protector Rust Converter	12
Krylon Rust Protector with Anti-Rust Technology Enamels	13
Krylon Rust Protector with Anti-Rust Technology Metallic Finish	14
Krylon Rust Protector with Anti-Rust Technology Primer	14

ARTIST & CLEAR COATINGS

Krylon Acrylic Crystal Clear	16
Krylon Low Odour Clear Spray	16
Krylon Satin Finish	16
Krylon Triple-Thick Crystal Clear Glaze	16
Krylon Matte Finish	17
Krylon UV-Resistant Clear Coatings	17
Krylon Workable Fixatif	17
Krylon Kamar™ Varnish	18

ADHESIVES

Krylon All-Purpose Spray Adhesive	20
-----------------------------------	----

DECORATIVE FINISHES

Krylon Brilliant Metallic	22
Krylon Leafing Pens	22
Krylon Shimmer Metallic	23
Krylon Chalkboard Paint	23
Krylon Chalky Finish Paint Clear Sealer	23
Krylon Chalky Finish Paint	23
Krylon Chalky Finish Paint Finishing Wax (Aerosol)	24
Krylon Chalky Finish Tintable Paint (Quart)	24
Krylon Chalky Finish Clear Sealing Wax (Pint)	24
Krylon Chalky Finish Dark Antiquing Wax (Pint)	24
Krylon Chalkboard Paint (Quart)	24
Krylon Chalkboard Tintable Paint (Quart)	24

SPECIALTY

Krylon High Heat	25
Krylon High Heat Max	25
Krylon Appliance Epoxy	26
Krylon Stainless Steel Finish	26
Krylon Clear Varnish	26
Krylon Lacquer Spray	26
Krylon Fluorescent Paint	27
Krylon Tub & Tile Ultra Repair Finish	27
Krylon Camouflage Made with Fusion for Plastic® Technology	27
Krylon Farm & Implement Paint	28
Krylon Farm & Implement Primer	28
Krylon Farm & Implement Reducer	29
Krylon Farm & Implement Catalyst Acrylic Hardener	29
Krylon Snap and Spray Gun	29

PROFESSIONAL

Krylon Industrial™ Line-Up™ Inverted Striping Paint	30
Krylon Striping Equipment	30
Krylon Industrial Mark-It™ Inverted Marking Paint	31
Krylon Industrial Mark-It Inverted Marking Chalk	31
Krylon Marking Equipment	31
Krylon Industrial Tough Coat™ Advanced with Rust Barrier™ Technology	32
Krylon Industrial Tough Coat Advanced Primer with Rust Barrier Technology	32

APPENDIX

Guide to Krylon Spray Paints and Coatings	33
Tips for Successful Application	35

KRYLON®: Create. Restore. Protect.

For over 75 years, Krylon has delivered innovative solutions for almost any surface with the best colours and specialty finishes to create, restore and protect what's most important to you. Krylon can turn old new again. It can help prevent wear and tear. It can make projects bright and beautiful while also combatting rust in the toughest conditions. It can protect delicate art and crafts. It can even paint lines on a field and take the heat at the aftergame barbecue.

That's why so many people count on Krylon. Our loyal customers include DIYers, craftsmen, artists and professionals. They all have very good reasons for trusting our name and using our paints on their projects.

And that makes us very proud.



GENERAL PURPOSE

With a variety of formulations and finishes, an unmatched colour selection and a trusted name, Krylon® multipurpose aerosol products get the job done for customers — from hardworking DIYers to crafters and hobbyists.




Krylon® Fusion All-In-One®

- 5X stronger adhesion* to difficult surfaces
- No-Peel Guarantee†
- Bonds to plastic, laminate, wood, metal, masonry
- Maximum rust protection

- Superior adhesion and durability
- No sanding or priming required
- Easy-push spray tip with spray-any-way capabilities

Packed 6 units per case, net weight 340 g each.



*Compared to Krylon general purpose paints. 5X stronger adhesion only applies to general purpose Fusion All-In-One spray paints. This excludes Fusion All-In-One Hammered, Fusion All-In-One Metallic, Fusion All-In-One Textured and Fusion All-In-One Clear spray paint products.

†If this product, when applied according to product application instructions to a properly prepared surface, peels or fails to perform to your complete satisfaction, contact us with the product number at 1-800-247-3268 or @krylon.com to request a refund.



Fusion All-In-One® Clear Finish

- Bonds to plastic, laminate, wood, metal, masonry
- Non-yellowing, clear finish
- Maximum rust protection and superior adhesion
- Easy-push, big-button tip with spray-any-way capabilities



Packed 6 units per case, net weight 340 g each.



Fusion All-In-One Hammered Finish

- Bonds to plastic, laminate, wood, metal, masonry
- Maximum rust protection
- Superior adhesion and durability
- No sanding or priming required
- Easy-push spray tip with spray-any-way capabilities




Packed 6 units per case, net weight 340 g each.



Fusion All-In-One Metallic Finish

- Bonds to plastic, laminate, wood, metal, masonry
- Maximum rust protection
- Superior adhesion and durability
- No sanding or priming required
- Easy-push spray tip with spray-any-way capabilities




Packed 6 units per case, net weight 340 g each.



Fusion All-In-One Textured Finish

- Bonds to plastic, laminate, wood, metal, masonry
- Maximum rust protection
- Superior adhesion and durability
- No sanding or priming required



Packed 6 units per case, net weight 340 g each.



Krylon® COLORmaxx®

- Premium coverage and superior colour
- Excellent adhesion and durability
- Indoor/outdoor use with rust protection
- For metal, wood, plastic and more
- Fast drying
- Easy-push spray tip with spray-any-way capabilities

Packed 6 units per case, net weight 340 g each.

45500007 7-24504-45500-4 45500 GLOSS ALMOND	455030007 7-24504-45503-5 45503 GLOSS BANNER RED	455040007 7-24504-45504-2 45504 GLOSS BAUHAUS GOLD	455060007 7-24504-45506-6 45506 GLOSS BLUE OCEAN BREEZE	455080007 7-24504-45508-0 45508 GLOSS BURGUNDY	455110007 7-24504-45511-0 45511 GLOSS CHERRY RED	455120007 7-24504-45512-7 45512 GLOSS CITRUS GREEN	455130007 7-24504-45513-4 45513 GLOSS CLASSIC GREY
455170007 7-24504-45517-2 45517 GLOSS EMERALD GREEN	455180007 7-24504-45518-9 45518 GLOSS EQUESTRIAN	455210007 7-24504-45521-9 45521 GLOSS GUM DROP	455230007 7-24504-45523-3 45523 GLOSS HUNTER GREEN	455240007 7-24504-45524-0 45524 GLOSS IVORY	455250007 7-24504-45525-7 45525 GLOSS IVY LEAF	455260007 7-24504-45526-4 45526 GLOSS KHAKI	455270007 7-24504-45527-1 45527 GLOSS LEATHER BROWN
455280007 7-24504-45528-8 45528 GLOSS MAMBO PINK	455290007 7-24504-45529-5 45529 GLOSS NAVY BLUE	455310007 7-24504-45531-8 45531 GLOSS PEWTER GREY	455320007 7-24504-45532-5 45532 GLOSS PUMPKIN ORANGE	455330007 7-24504-45533-2 45533 GLOSS PURPLE	455350007 7-24504-45535-6 45535 GLOSS REGAL BLUE	455360007 7-24504-45536-3 45536 GLOSS RICH PLUM	455390007 7-24504-45539-4 45539 GLOSS SMOKE GREY
455410007 7-24504-45541-7 45541 GLOSS SUN YELLOW	455430007 7-24504-45543-1 45543 GLOSS TRUE BLUE	455440007 7-24504-45544-8 45544 GLOSS WATERMELON	455560007 7-24504-45556-1 45556 SATIN PINK TAFFETA	455600007 7-24504-45560-8 45560 SATIN BURGUNDY	455630007 7-24504-45563-9 45563 SATIN HUNTER GREEN	455640007 7-24504-45564-6 45564 SATIN IRIS	455660007 7-24504-45566-0 45566 SATIN ITALIAN OLIVE
455670007 7-24504-45567-7 45567 SATIN IVORY	455690007 7-24504-45569-1 45569 SATIN LEATHER BROWN	455710007 7-24504-45571-4 45571 SATIN OXFORD BLUE	455750007 7-24504-45575-2 45575 SATIN PISTACHIO	455760007 7-24504-25576-5 45576 SATIN SEA GLASS			

Also available in:

AOM #	UPC CODE #	ITEM #	DESCRIPTION	AOM #	UPC CODE #	ITEM #	DESCRIPTION
455050007	7-24504-45505-9	45505	GLOSS BLACK	455450007	7-24504-45545-5	45545	GLOSS WHITE
455790007	7-24504-45579-0	45579	SEMI-GLOSS BLACK	455800007	7-24504-45580-6	45580	SEMI-GLOSS WHITE
455460007	7-24504-45546-2	45546	FLAT BLACK	455770007	7-24504-45577-6	45577	SATIN WHITE
455570007	7-24504-45557-8	45557	SATIN BLACK	455480007	7-24504-45548-6	45548	FLAT WHITE



Krylon® COLORmaxx® Metallic Finish

- Popular metallic finish
- For wood, metal, wicker, wrought iron, plaster and more
- Ideal for indoor and outdoor furniture, accessories, crafts and décor
- Dries in 10 minutes or less
- Easy-push spray tip with spray-any-way capabilities

Packed 6 units per case, net weight 340 g each.

455870007 7-24504-45587-5 45587 METALLIC ALUMINUM	455880007 7-24504-45588-2 45588 METALLIC GOLD	455900007 7-24504-45590-5 45590 METALLIC SILVER
--	--	--



Krylon COLORmaxx Acrylic Crystal Clear

- Dries in 10 minutes or less
- Protective, non-yellowing finish
- For use inside and out on wood, metal, plastic, wicker and more
- Easy-push spray tip with spray-any-way capabilities

Packed 6 units per case, net weight 311 g each.

455150007 7-24504-45515-8 45515 GLOSS CRYSTAL CLEAR	455470007 7-24504-45547-9 45547 FLAT CRYSTAL CLEAR	455620007 7-24504-45562-2 45562 SATIN CRYSTAL CLEAR
--	---	--



Krylon COLORmaxx Primer

- Dries in 10 minutes or less
- Increases paint adhesion
- Smoothes uneven surfaces
- Ensures true paint colour is achieved
- Easy-push spray tip with spray-any-way capabilities

Packed 6 units per case, net weight 340 g each.

455820007 7-24504-45582-0 45582 GREY PRIMER	455830007 7-24504-45583-7 45583 RED OXIDE PRIMER	455840007 7-24504-45584-4 45584 WHITE PRIMER
--	---	---



Krylon® COLORmaxx® Brush-On

- Premium coverage and superior colour
- Excellent adhesion and durability
- Indoor/outdoor use with rust protection
- For metal, wood, plastic and more
- Dries in less than 30-60 minutes

Packed 4 units per case, net weight 946 mL each.

Packed 6 units per case, net weight 236 mL each.

Volume	Color	Product Code	Finish
946 mL:	Black	456260007	SATIN BLACK
	White	456280007	SATIN WHITE
	Black	456170007	GLOSS BLACK
	White	456250007	GLOSS WHITE
	Red	456160007	GLOSS BANNER RED
	Black	456470007	FLAT BLACK
236 mL:	Black	456130007	SATIN BLACK
	White	456150007	SATIN WHITE
	Black	456050007	GLOSS BLACK
	White	456120007	GLOSS WHITE
	Red	456160007	GLOSS BANNER RED
	Black	456470007	FLAT BLACK

TIPS & TECHNIQUES

SPRAY PAINT CLEANUP

Cleanup is a snap when you start your project by masking off exposed areas where you don't want any paint. Tape, newspaper and a drop cloth will help protect your work area. Just like any painting project, be sure to wear old clothes and gloves. To clean up overspray from unprotected areas, follow these simple directions for removal:

WHEN PAINT/FINISH IS WET:

- Use mineral spirits for most spray paints
- Soap and water work well on latex and water-based paints for the first 15-20 minutes (e.g., low-odour clear sprays)
- Use lacquer thinner to remove marbelizing spray

WHEN PAINT/FINISH IS WET:

- Adhesive remover or lacquer thinner should be used to remove paint overspray

FOR PAINT/FINISH ON YOUR SKIN:

- Use soap and water or hand cleaner first to remove as much paint as possible
- If you still have paint on your skin, isopropyl alcohol (ordinary rubbing alcohol) is gentle enough for your skin and tough enough to remove many paints and finishes

WHEN AND WHY TO USE A PRIMER

A primer is a specially formulated paint designed for use on bare metal, wood or other surfaces. Using a primer can mean the difference between a successful and a not-so-successful finished project. The reasons a primer is often recommended are:

- To ensure that your true paint colour is achieved
- To increase paint adhesion
- For better paint coverage and penetration, particularly on wood surfaces
- For increased corrosion resistance on metal surfaces
- To smooth uneven surfaces for a better topcoat finish



LOW-END GENERAL PURPOSE

Sometimes your customers need a straightforward value spray paint. Krylon® offers general purpose aerosol utility paints that are perfect.



COLOUR ALL Enamel Paint

- Economical
- Interior/Exterior
- Durable
- Dries to touch in 15 minutes or less
- Ideally used for marking, colour coding or touch-up

Packed 6 units per case, net weight 284 g each.

AOM #	UPC CODE #	DESCRIPTION
460500007	7-24504-46500-3	GLOSS WHITE
460503007	7-24504-46503-4	FLAT WHITE
460505007	7-24504-46505-8	GLOSS BLACK
460507007	7-24504-46507-2	FLAT BLACK
460510007	7-24504-46510-2	GLOSS RED
460533007	7-24504-46533-1	GLOSS BLUE
460580007	7-24504-46580-5	GREY PRIMER



RUST PREVENTIVE

Painting on metal can be challenging. Krylon® Rust Protector™ with Anti-Rust Technology™ provides outstanding protection against rust and corrosion on metal surfaces.



Krylon Rust Protector with Anti-Rust Technology Enamels

- 40% stronger protection on metal, as compared to Krylon Rust Protector previous formula
- Dries in 25 minutes or less
- No primer needed — can apply directly to metal
- Spray-any-way comfort tip
- Premium, glossy colour

Packed 6 units per case, net weight 340 g each.



Krylon Rust Protector with Anti-Rust Technology Clear Finish

- Maximum protection for metal — use as extra topcoat, protectant or to change sheen
- Dries in 25 minutes or less
- Can apply directly to metal
- Spray-any-way comfort tip


Packed 6 units per case, net weight 340 g each.





Krylon® Rust Protector™ with Anti-Rust Technology™ Metallic Finish

- Brilliant metallic finish
- Dries in 25 minutes or less
- Can apply directly to metal
- Spray-any-way comfort tip




Packed 6 units per case, net weight 312 g each.



Krylon Rust Protector with Anti-Rust Technology Primers

- For increased protection and help with drastic colour changes
- Direct to metal
- Ultra-flat coating
- Dries in 25 minutes or less
- Spray-any-way comfort tip



Packed 6 units per case, net weight 340 g each.



Krylon Rust Protector with Anti-Rust Technology Galvanizing Primer

- Cold-galvanizing formula contains 93% zinc in dried film
- Protective, ultra-flat, zinc-rich primer
- Bonds to surface, providing maximum protection
- Fills scratches and protects the base metal
- For metal substrates only



Packed 6 units per case, net weight 340 g each.



Krylon Rust Protector Rust Converter

- Converts rust to a waterproof, paintable surface in one easy step
- Spray directly over rust to protect against further corrosion
- Dries in 2-3 hours, topcoat in 24 hours



Packed 6 units per case, net weight 312 g each.



Krylon® Rust Protector™ with Anti-Rust Technology™ Enamels

- Premium, oil-based, glossy colour
- Anti-Rust Technology Max Protection for metal
- Direct to metal
- Dries in 4-6 hours

Net weight 3.78 L, packed 4 units per case.
Net weight 946 mL, packed 2 units per case.

3.78 L:	469400008 7-24504-02143-8 GLOSS WHITE	469409008 7-24504-02152-0 FLAT WHITE	469407008 7-24504-02150-6 SEMI-GLOSS WHITE	469401008 7-24504-02144-5 GLOSS BLACK	469410008 7-24504-02153-7 FLAT BLACK	469408008 7-24504-02151-3 SEMI-GLOSS BLACK
946 mL:	469200008 7-24504-01652-6 GLOSS WHITE	469219008 7-24504-01664-9 FLAT WHITE	469213008 7-24504-01662-5 SEMI-GLOSS WHITE	469227008 7-24504-01653-3 GLOSS BLACK	469220008 7-24504-01665-6 FLAT BLACK	469214008 7-24504-01663-2 SEMI-GLOSS BLACK
3.78 L:	N/A	469402008 7-24504-02145-2 GLOSS LEATHER BROWN	N/A	469403008 7-24504-02146-9 GLOSS CLASSIC RED	469404008 7-24504-02147-6 GLOSS YELLOW	N/A
946 mL:	469226008 7-24504-01671-7 FLAT LEATHER BROWN	469228008 7-24504-01655-7 GLOSS LEATHER BROWN	469205008 7-24504-01657-1 GLOSS CHERRY RED	469204008 7-24504-01656-4 GLOSS CLASSIC RED	469229008 7-24504-01658-8 GLOSS YELLOW	469230008 7-24504-01659-5 GLOSS BASIC BLUE
3.78 L:	469405008 7-24504-02148-3 GLOSS SMOKE GREY	469411008 7-24504-02154-4 GLOSS GREEN	469413008 7-24504-02156-8 GLOSS NAVY			
946 mL:	469209008 7-24504-01660-1 GLOSS SMOKE GREY	469223008 7-24504-01668-7 GLOSS GREEN	N/A			
3.78 L:	469703008 7-24504-08461-7 GLOSS PASTEL TINT BASE	469704008 7-24504-08462-4 SATIN PASTEL TINT BASE	469705008 7-24504-08463-1 GLOSS CLEAR TINT BASE	469706008 7-24504-08464-8 SATIN CLEAR TINT BASE		
946 mL:	469603008 7-24504-08456-3 GLOSS PASTEL TINT BASE	469604008 7-24504-08457-0 SATIN PASTEL TINT BASE	469605008 7-24504-08458-7 GLOSS CLEAR TINT BASE	469606008 7-24504-08459-4 SATIN CLEAR TINT BASE		



Krylon® Rust Protector™ with Anti-Rust Technology™ Metallic Finish

- Anti-Rust Technology Max Protection for metal
- Brilliant finish
- Direct to metal
- Dries in 4-6 hours

Net weight 3.78 L, packed 4 units per case.
 Net weight 947 mL, packed 2 units per case.

3.78 L:



469406008
 7-24504-02149-0
 ALUMINUM

946 mL:

469212008
 7-24504-01661-8
 ALUMINUM



Krylon Rust Protector with Anti-Rust Technology Primer

- Extra corrosion protection for bare and painted surfaces
- Increases paint adhesion
- Smooths uneven surfaces
- Dries in 4-6 hours

Net weight 3.78 L, packed 4 units per case.
 Net weight 947 mL, packed 2 units per case.

3.78 L:



469412008
 7-24504-02155-1
 GREY PRIMER

946 mL:

469225008
 7-24504-01670-0
 GREY PRIMER

ARTIST & CLEAR COATINGS

Krylon® is a trusted friend of artists, archivists, crafters and craftsmen. Your customers look to us for the prep products, working products and finishing sprays that help their creations look great.





Krylon® Acrylic Crystal Clear

- Permanent, protective gloss finish
- Non-yellowing
- Moisture resistant
- Dries in minutes

Packed 6 units per case, net weight 311 g each.

AOM #	UPC CODE #	DESCRIPTION
413030007	7-24504-41303-5	ACRYLIC CRYSTAL CLEAR



Krylon Low Odour Clear Spray

- Permanent, protective coating
- Easy soap-and-water cleanup
- Convenient to spray indoors
- Clear latex enamel

Packed 6 units per case, net weight 312 g each.

AOM #	UPC CODE #	DESCRIPTION
47110	7-24504-47110-3	LOW ODOUR CLEAR GLOSS



Krylon Satin Finish

- Permanent, protective satin finish
- Non-yellowing
- Moisture resistant
- Dries in minutes

Packed 6 units per case, net weight 312 g each.

AOM #	UPC CODE #	DESCRIPTION
413230000	7-24504-41323-3	SATIN FINISH



Krylon Triple-Thick Crystal Clear Glaze

- Bright, glass-like coating
- Superior high-gloss finish
- Non-firing glaze for polymer clay, bisque, plaster and more
- Dries in minutes

Packed 6 units per case, net weight 340 g each.

AOM #	UPC CODE #	DESCRIPTION
40500	7-24504-40500-9	TRIPLE-THICK GLAZE



Krylon® Matte Finish

- Permanent, protective matte coating
- Eliminates glossy sheen
- Non-yellowing
- Moisture resistant
- Dries in minutes

Packed 6 units per case, net weight 312 g each.

AOM #	UPC CODE #	DESCRIPTION
413110007	7-24504-41311-0	MATTE FINISH



Krylon UV-Resistant Clear Coatings

- Protects against harmful UV light rays
- Non-yellowing, permanent coating
- Moisture resistant
- Dries in minutes

Packed 6 units per case, net weight 312 g each.

AOM #	UPC CODE #	DESCRIPTION
41305	7-24504-41305-9	UV-RESISTANT CLEAR GLOSS
413090000	7-24504-41309-7	UV-RESISTANT MATTE



Krylon Workable Fixatif

- Protects pencil, pastel and chalk drawings
- Prevents smudging and wrinkling
- Allows easy rework
- Acid-free/archival-safe

Packed 6 units per case, net weight 315 g each.

AOM #	UPC CODE #	DESCRIPTION
41306	7-24504-41306-6	WORKABLE FIXATIF



Krylon® Kamar™ Varnish

- Non-yellowing protection for oil, acrylic and watercolour paintings
- Keeps a fresh-from-the-palette look
- Allows easy rework
- Free from impurities

Packed 6 units per case, net weight 315 g each.

AOM #	UPC CODE #	DESCRIPTION
41312	7-24504-41312-7	KAMAR VARNISH (FINE ART)

TIPS & TECHNIQUES

UNDERSTANDING AND CHOOSING CLEAR COAT FINISHES

Use clear coats for protection or enhancement of your finished project. Your product choice will be determined by the type of project you have, as well as the gloss level that you prefer. Your decision could also be affected by the need for UV protection or the ability to spray indoors. The good news is that whatever you choose, all Krylon clear coatings are non-yellowing and dry in minutes.

Desired Finish/Attributes		Recommended Product	
Gloss Level	Extra-Strong Gloss Enhancement	Krylon Crystal Clear Glaze	
	Medium- to High-Gloss Enhancement	Krylon Acrylic Crystal Clear or Krylon Low Odour Clear Gloss	
	Reduced Sheen	Krylon Matte Finish or Krylon UV-Resistant Clears	
Protection	UV Light Protection	Krylon UV-Resistant Clears	
	Protection Against Dirt/Moisture/ Discolouration	Krylon Acrylic Crystal Clear Krylon Satin Finish Krylon Matte Finish Krylon Crystal Clear Glaze Krylon UV-Resistant Clears Krylon Low Odour Clears	
	Tarnish Protection for Metals (brass, copper)	Krylon Acrylic Crystal Clear	
	Invisible Protection for Dried Flowers	Krylon Matte Finish	
	To Create Non-Glare Glass for Framing	Krylon Matte Finish Krylon UV-Resistant Matte Finish	
	Low Odour	Reduced Odour	Krylon Low Odour Clears

Krylon® Artist Sprays

Workable Fixatif
UV Archival Varnish
Kamar™ Varnish

Product Attributes			
Workable protection	●		
Prevents dusting and smudging of fragile art mediums	●		
Non-yellowing	●	●	●
Fade protection (contains UV light absorbers & stabilizers)		●	
Protection against dirt/moisture/discolouration	●	●	●
Removable picture varnish for conservation purposes		●	●
Protection for digital photos and inkjet prints		●	
Available Sheens			
Gloss		●	●
Semi-Gloss		●	
Satin		●	
Matte		●	
Medium Compatibility			
Oil paint		●	●
Alkyd paint		●	●
Acrylic paint		●	●
Watercolour	●	●	●
Gouache	●	●	●
Pastel	●		
Oil Pastel		●	●
Chalk	●		
Pencil/Graphite	●		
Coloured pencil	●	●	●
Charcoal	●		
Inkjet prints		●	●

ADHESIVES

Krylon® spray adhesives offer the reliable performance and high-quality formulations that your customers expect from Krylon products.



DECORATIVE FINISHES

Krylon® decorative paints and finishes are behind some of your customers' favourite projects. We have unique formulations that add texture, fun finishes for holiday crafts and amazing glitter products.



Krylon All-Purpose Spray Adhesive

- Strong, permanent bond
- Extended open tack time
- Smooth, non-wrinkling adhesion
- Ideal for bonding lightweight materials
- Acid-free

Packed 6 units per case, net weight 312 g each.

AOM #	UPC CODE #	DESCRIPTION
480100007	7-24504-48010-5	ALL-PURPOSE SPRAY ADHESIVE

BONDS LIGHTWEIGHT MATERIALS	BONDS HEAVIER MATERIALS	BONDS LIGHTWEIGHT MATERIALS TO HEAVIER MATERIALS	OPEN TACK TIME ALLOWING SOME MOVEMENT	REPOSITIONABLE THROUGH LIFE OF BOND	ACID-FREE	EVEN SPRAY MIST	STREAM OR WEB SPRAY PATTERN	REMOVES ADHESIVE	CLEANS UP WITH SOAP AND WATER
•	•	•	•	•	•	•	•	•	•


All-Purpose Spray Adhesive



Krylon® Brilliant Metallic

- Bright, durable finish
- Fast drying

Packed 6 units per case, net weight 340 g each.



41406 7-24504-41406-3 BRIGHT SILVER
 422040007 7-24504-42204-4 BRASS METALLIC
 417060007 7-24504-41706-4 GOLD METALLIC
 422030007 7-24504-42203-7 COPPER METALLIC



Krylon Leafing Pens

- Premium metallic finish resembles actual plating
- Smooth-flowing paint for metallic accents to any surface
- Unique chiselled tip makes both thin and thick lines
- Dries to touch in 10 minutes
- Acid-free

Packed 6 units per case, net weight 9 g each.



49901 7-24504-49901-5 18 KT. GOLD
 49902 7-24504-49902-2 SILVER
 49903 7-24504-49903-9 COPPER

TIPS & TECHNIQUES

HINTS FOR USING METALLIC FINISHES

Most metallic spray finishes are not actual metal finishes, but contain dyed metal particles that give the illusion of a metal finish. When using a metallic aerosol, remember these helpful hints:

- Most metallic paints are not formulated for exterior durability. So for an outdoor project, you will need to use a clear interior/exterior topcoat. NOTE, however, that some clear coats may somewhat diminish the metallic shine.
- Consider a metallic product from the **Krylon Fusion All-In-One®** line, formulated for a great metallic look and a durable exterior finish.
- Most metallics won't work on craft foam or florals without damaging the material.
- Consider a metallic paint from the **Krylon Short Cuts™** line, formulated for safe use on craft foam, florals and décor, as well as other surfaces.



Krylon® Shimmer Metallic

- Beautiful, shimmering metallic finish
- Excellent durability, indoors and out
- Use on wood, metal, craft foam, glass, ceramic and more
- Fast drying
- Durable performance

Packed 6 units per case, net weight 326 g each.



439220000 7-24504-43922-6 SILVER SHIMMER
 439260000 7-24504-43926-4 BLACK SHIMMER
 439340000 7-24504-06185-4 CANDY RAZZ



Krylon Chalkboard Paint

- Creates a smooth, slate-like chalkboard finish
- Durable, long-lasting, writable, erasable finish
- Easy application

Packed 6 units per case, net weight 340 g each.




40807 7-24504-40807-9 BLACK



Krylon Chalky Finish Paint Clear Sealer

- Matte finish, non-yellowing topcoat
- Added protection for pre-painted wood, metal, plastic, wicker and more
- For indoor or outdoor use

Packed 6 units per case, net weight 340 g each.




441170000 7-24504-03880-1 CLEAR, MATTE



Krylon Chalky Finish Paint

- Creates a smooth, ultra-matte finish
- Excellent adhesion and durability
- No primer or prep needed
- Sandable
- Fast drying

Packed 6 units per case, net weight 340 g each.



441010007 7-24504-03881-8 CLASSIC WHITE
 441040007 7-24504-03867-2 ANVIL GREY
 441060007 7-24504-03869-6 MINK
 441080007 7-24504-03871-9 ANTIQUE (COLONIAL) IVORY
 441110007 7-24504-03874-0 TIDAL BLUE
 441160007 7-24504-03879-5 COTTON CANDY (BONNET) PINK
 441030007 7-24504-03864-1 SLATE
 441020007 7-24504-03863-4 MISTY GREY



Krylon® Chalky Finish Paint Finishing Wax (Aerosol)

- Creates a polished or aged effect on natural or pre-painted surfaces
- Wax provides added protection to most surfaces
- For indoor or outdoor use


Packed 6 units per case, net weight 326 g each.



Krylon Chalky Finish Tintable Paint (Quart)

- Creates a smooth, ultra-matte finish to transform your projects
- Excellent adhesion and durability
- No primer or prep needed


Packed 4 units per case, net weight 822 g. each.
Extra White Base is net weight 858 ml each.



Krylon Chalky Finish Clear Sealing Wax (Pint)

- Creates a satin, low-gloss, decorative finish over any of our Krylon Chalky Paint colours
- Provides low-gloss protection when applied over Krylon Chalky Finish Paint
- Easy cleanup with soap and water

Packed 6 units per case, net weight 473 ml each.



Krylon Chalky Finish Dark Antiquing Wax (Pint)

- Creates a vintage-looking finish over any of our Krylon Chalky Paint colours
- Ideal for décor items and varnished, previously painted, bare wood or metal furniture
- Easy cleanup with soap and water

Packed 6 units per case, net weight 473 ml each.



Krylon Chalkboard Paint (Quart)

- Creates a smooth, slate-like chalkboard finish
- Durable, long-lasting, writable, erasable finish
- Easy application

Packed 4 units per case, net weight 916 ml each.



Krylon Chalkboard Tintable Paint (Quart)

- Durable, slate-like chalkboard finish on most surfaces
- For interior use only
- At least TWO coats must be applied to create a chalkboard finish

Packed 4 units per case, net weight 858 ml each.



SPECIALTY

Our special-purpose paints include high-heat coatings and high-intensity fluorescents, paints that camouflage and metallic finishes that stand out, and everything in between.



Krylon® High Heat

- Withstands temperatures up to 315 °C (600 °F) continuously
- Dries tack-free in 15 minutes or less
- Protects against rust
- Not for use on cooking surfaces



Packed 6 units per case, net weight 340 g each.



Krylon High Heat Max

- Maximum colour and finish protection up to 649 °C (1200 °F)
- Premium rust resistance
- Dries in 10 minutes or less
- For use on grills, BBQs, fire pits, wood-burning stoves and heating radiators
- Not for use on cooking surfaces

Packed 6 units per case, net weight 340 g each.





Krylon® Appliance Epoxy

- Durable, scrubbable and colourfast
- Resists household cleaners
- Withstands stains, grease and grime
- Dries to the touch in 30 minutes or less

Packed 6 units per case, net weight 340 g each.



432010007
7-24504-43201-2
APPLIANCE WHITE



Krylon Stainless Steel Finish

- Transform ordinary surfaces to a stainless steel finish
- Ideal for appliances, furniture, accessories and more
- For interior and exterior use
- For wood, metal, iron, glass and more

Packed 6 units per case, net weight 312 g each.



424000000
7-24504-42400-0
STAINLESS STEEL
FINISH



Krylon Clear Varnish

- Dries in minutes
- Free of brush strokes
- Protects surfaces from water and stains

Packed 6 units per case, net weight 312 g each.



470010007
7-24504-47001-4
HIGH GLOSS
VARNISH



Krylon Lacquer Spray

- Ultra-hard finish
- Fast-dry formula
- Moisture resistant

Packed 6 units per case, net weight 340 g each.



470300007
7-24504-47030-4
GLOSS BLACK



470320007
7-24504-47032-8
GLOSS CLEAR



Krylon® Fluorescent Paint

- Bold neon colours for high visibility
- For safety and décor items
- Increases brilliance up to 400%
- Glows under ultraviolet (black) light
- For best results, use a white basecoat

Packed 6 units per case, net weight 312 g each.



431010007
7-24504-43101-5
RED-ORANGE



431020007
7-24504-43102-2
YELLOW-
ORANGE



Krylon Tub & Tile Ultra Repair Finish

- Porcelain-like finish
- Chip resistant
- Excellent durability in hot water
- Strong finish; resists peeling
- Use on porcelain, ceramic tile, fiberglass and more



AEROSOL:
445020007
7-24504-08005-3
HIGH GLOSS
WHITE



2-QUART KIT:
445010007
7-24504-08004-6
HIGH GLOSS
WHITE



Krylon Camouflage Made with Fusion for Plastic® Technology

- Bonds to most plastics
- No sanding, no priming
- Dries in 15 minutes or less
- Ultra-flat, non-reflective colours
- Also for metal, wood, hard vinyl and more
- Ideal for sporting and hunting equipment, decoys and more



442900007
7-24504-44290-5
BLACK



442910007
7-24504-44291-2
KHAKI



442920007
7-24504-44292-9
BROWN







































442930007
7-24504-44293-6
OLIVE DRAB



Krylon® Farm & Implement Paint

- Corrosion resistant
- Direct to metal
- High-gloss finish
- Fast dry
- VOC compliant







Net weight 3.78 L, packed 4 units per case.
 Net weight 946 mL, packed 2 units per case.
 Net weight 340 g, packed 6 units per case.

3.78 L:	 419620008 7-24504-04391-1 GLOSS BLACK	 419630008 7-24504-04392-8 GLOSS WHITE	 419640008 7-24504-04393-5 INTERNATIONAL HARVESTER RED	 419650008 7-24504-04396-6 LOW-GLOSS BLACK	 419660008 7-24504-04394-2 JOHN DEERE GREEN	 419670008 7-24504-04390-4 FORD BLUE	 419680008 7-24504-04397-3 MASSEY FERGUSON RED
946 mL:	 420200008 7-24504-04406-2 GLOSS BLACK	 420210008 7-24504-04407-9 GLOSS WHITE	 420240008 7-24504-04408-6 INTERNATIONAL HARVESTER RED	 420220008 7-24504-04411-6 LOW-GLOSS BLACK	 420230008 7-24504-04409-3 JOHN DEERE GREEN	 420270008 7-24504-04405-5 FORD BLUE	 420260008 7-24504-04412-3 MASSEY FERGUSON RED
340 g:	 419310008 7-24504-04309-6 GLOSS BLACK	 419370008 7-24504-04312-6 GLOSS WHITE	 419330008 7-24504-04302-7 INTERNATIONAL HARVESTER RED	 419350008 7-24504-04311-9 LOW-GLOSS BLACK	 419320008 7-24504-04301-0 JOHN DEERE GREEN	 419360008 7-24504-04306-5 FORD BLUE	 419390008 7-24504-04308-9 MASSEY FERGUSON RED
3.78 L:	 419700008 7-24504-04395-9 JOHN DEERE YELLOW	 419710008 7-24504-04389-8 ALLIS CHALMERS ORANGE	 419740008 7-24504-04398-0 NEW EQUIPMENT CAT YELLOW	 419850008 7-24504-04399-7 OLD EQUIPMENT CAT YELLOW	 419760008 7-24504-04403-1 SCHOOL BUS YELLOW (TRANSPORT YELLOW)	 419780008 7-24504-04400-0 OLD KUBOTA ORANGE	
946 mL:	 420250008 7-24504-04410-9 JOHN DEERE YELLOW		 420370008 7-24504-04413-0 NEW EQUIPMENT CAT YELLOW			 420330008 7-24504-04415-4 OLD KUBOTA ORANGE	
340 g:	 419340008 7-24504-04299-0 JOHN DEERE YELLOW	 419400008 7-24504-04304-1 ALLIS CHALMERS ORANGE	 419440008 7-24504-04297-6 NEW EQUIPMENT CAT YELLOW	 419530008 7-24504-04303-4 OLD EQUIPMENT CAT YELLOW	 419570008 7-24504-04298-3 SCHOOL BUS YELLOW (TRANSPORT YELLOW)	 419460008 7-24504-04307-2 OLD KUBOTA ORANGE	



Krylon Farm & Implement Primer


- Increases paint adhesion
- Smooths uneven surfaces
- Ensures true paint colour is achieved

3.78 L:	 419810008 7-24504-04401-7 SANDABLE GREY PRIMER	 419820008 7-24504-04402-4 SANDABLE RED OXIDE PRIMER
946 mL:	 420390008 7-24504-04434-5 SANDABLE GREY PRIMER	 420400008 7-24504-04435-2 SANDABLE RED OXIDE PRIMER
340 g:	 419500008 7-24504-04313-3 SANDABLE GREY PRIMER	 419510008 7-24504-04314-0 SANDABLE RED OXIDE PRIMER



Krylon® Farm & Implement Reducer

- Reduces and thins
- Provides optimal spray consistency
- VOC compliant




REDUCER: Packed 12 units per case, net weight 473 mL.



Krylon Farm & Implement Catalyst Acrylic Hardener

- Accelerates dry time
- Adds extra protection
- Isocyanate-free formula



CATALYST HARDENER: Packed 12 units per case, net weight 236 mL.



Krylon Snap and Spray Gun

- Transforms any spray can into a spray gun
- Exclusive Full-Grip Trigger eliminates finger fatigue
- Improves accuracy and control

AOM #	UPC CODE #	DESCRIPTION
K07091000	7-24504-03342-4	Snap & Spray Gun

Packed 12 units per case.

PROFESSIONAL

To serve your professional customers and contractors, put Krylon® on the job. We have the specially formulated paints and the application equipment they need to get right to work.



Krylon® Industrial™ Mark-It™ Inverted Marking Paint

- Use to identify utilities or surfaces to dig
- Bright, bold colours
- Spray upside down

Packed 6 units per case, net weight 425 g each.

SOLVENT BASED:



458490008
7-24504-45849-4
APWA WHITE



458500008
7-24504-45850-0
APWA YELLOW



458510008
7-24504-45851-7
APWA RED



458520008
7-24504-45852-4
APWA GREEN



4585400008
7-24504-45854-8
FLUORESCENT ORANGE



458820008
7-24504-45882-1
APWA BLUE

WATER BASED:



458530008
7-24504-45853-1
FLUORESCENT ORANGE



458660008
7-24504-45866-1
FLUORESCENT RED



YELLOW

Gas, Oil, Steam, Petroleum or Gaseous Materials



RED, RED/ORANGE

Electrical, Fire Protection



ORANGE

Communication, Alarm or Signal Lines, Cables



BLUE

Potable Water, Irrigation



GREEN

Drainage, Sewer, Sanitary



WHITE

General Purpose, Proposed Excavation



Krylon Industrial Mark-It Inverted Marking Chalk

- Ideal for grass, pavement and soil
- Easily removed from hard surfaces
- Fast drying

Packed 6 units per case, net weight 425 g each.



458940008
7-24504-45894-4
CHALK WHITE



Krylon Industrial™ Line-Up™ Inverted Striping Paint

- Long-lasting durability on many surfaces
- Crisp, clean lines
- Non-clogging spray tip

SOLVENT BASED: Packed 6 units per case, net weight 510 g each.
WATER BASED: Packed 6 units per case, net weight 482 g each.

SOLVENT BASED:



458610008
7-24504-45861-6
YELLOW



458620008
7-24504-45862-3
BLUE



458860008
7-24504-45886-9
WHITE

WATER BASED:



458600008
7-24504-45860-9
WHITE



Krylon Striping Equipment

AOM #	UPC CODE #	DESCRIPTION
K08340	0-75577-08340-4	Striping Machine - Pavement
K08350	0-75577-08350-3	Striping Machine - Athletic
K08360000	0-75577-08360-3	Striping (Wheel) Wand 86 cm (34")



Krylon Marking Equipment


AOM #	UPC CODE #	DESCRIPTION
K07095	7-24504-07095-5	Spotter Hand-Held Marking Wand (30 cm [12"] Length)
K07096	7-24504-07096-2	Wheeler Hand-Held Marking Wand (86 cm [34"] Length)
K07094000	0-75577-00583-3	Wheeler Hand-Held Marking Wand w/Flag Holder (86 cm [34"] Length)



Krylon® Industrial™ Tough Coat™ Advanced with Rust Barrier™ Technology

- Dry to the touch in 30 minutes
- Premium, glossy colours
- For metal, aluminum and steel
- Spray-any-way comfort tip
- Advanced with Rust Barrier Technology — max protection for metal

Packed 6 units per case, net weight 425 g each.




*Please contact your sales representative for product availability details.



Krylon Industrial Tough Coat Advanced Primer with Rust Barrier Technology

- For metal, aluminum and steel
- Dry to the touch in 30 minutes
- Premium, glossy colour
- Spray-any-way comfort tip

Packed 6 units per case, net weight 425 g each.



*Please contact your sales representative for product availability details.

GUIDE TO KRYLON® SPRAY PAINTS AND COATINGS

PRODUCT	DRY TO TOUCH*	GLOSS LEVEL	COVERAGE	FINE ART SURFACES*	WOOD	METAL	WICKER	PLASTIC	CRAFT FOAM	PAPER/MACHE	GLASS	PLASTER/CERAMIC	FABRIC	DRIED/SILK FLOWERS	PAPER	PVC	HARD VINYL	TILE	WROUGHT IRON	PAVEMENT	CONCRETE	DIRT	GRAVEL	GRASS	ASPHALT	FIBREGLASS	DRYWALL	MASONRY	OTHER		
GENERAL PURPOSE																															
Fusion All-In-One® Clear Finish	25 min	Gloss, Satin, Flat	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X				X	X	X	X	X										X	X	
Fusion All-In-One Hammered Finish	25 min	Medium	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X				X	X	X	X	X		X								X	X	
Fusion All-In-One Metallic Finish	25 min	High	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X				X	X	X	X	X		X							X	X		
Fusion All-In-One Textured	25 min	Low	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X				X	X	X	X	X		X							X	X		
COLORmaxx®	10 min	Gloss, Semi-Gloss, Satin, Matte, Flat	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X	X	X		X																
COLORmaxx Metallic Finish	10 min	High	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X	X			X																
COLORmaxx Acrylic Crystal Clear	10 min	Gloss, Satin, Flat	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X	X		X																
COLORmaxx Primer	10 min	Low	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X	X	X		X													X	X		
Fusion All-In-One	25 min	Gloss, Satin, Matte, Flat	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X				X	X	X	X	X		X							X	X		
LOW-END GENERAL PURPOSE																															
COLOUR ALL Enamel Paint	15 min	Gloss, Flat	Up to 8 sq. m (25 sq. ft.)		X	X											X														
RUST PREVENTIVE AEROSOL																															
Rust Protector™ Rust Preventive Enamels	25 min	Gloss, Semi-Gloss, Semi-Flat, Flat	Up to 8 sq. m (25 sq. ft.)			X																								X	
Rust Protector Protective Clear Coating	25 min	Gloss, Satin	Up to 8 sq. m (25 sq. ft.)			X																								X	
Rust Protector Metallic Finish	25 min	High	Up to 8 sq. m (25 sq. ft.)			X																								X	
Rust Protector Rust Preventive Primers	25 min	Flat	Up to 8 sq. m (25 sq. ft.)			X																								X	
RUST PREVENTIVE BRUSH-ON																															
Rust Protector Rust Preventive Enamels	4 hours	Gloss, Semi-Gloss, Satin, Flat	Approx. 37 sq. m / 3.78L (400 sq. ft. / gallon)			X																								X	
Rust Protector Rust Preventive Primers	4 hours	Low	Approx. 37 sq. m / 3.78L (400 sq. ft. / gallon)			X																								X	
ARTIST & CLEAR COATINGS																															
Acrylic Crystal Clear	10-15 min	High	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X	X		X	X															
Low Odour Clear Sprays	15 min	High Gloss & Matte	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X	X	X	X	X	X		X	X															
Satin Finish	10-15 min	Satin	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X			X	X															
Triple-Thick Crystal Clear Glaze	15 min	Very High	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X			X	X															
Matte Finish	10-15 min	Low	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X			X	X															
UV-Resistant Clear Coatings	10-15 min	High Gloss & Matte	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X			X	X															
Workable Fixatif	30 min	High	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X			X	X															
Kamar™ Varnish	15 min	High	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X			X																

*Canvas, paper, etc.

**Dry time determined by paint thickness and number of quick-dry layers applied.

T= Test first

PRODUCT	DRY TO TOUCH	GLOSS LEVEL	COVERAGE	FINE ART SURFACES*	WOOD	METAL	WICKER	PLASTIC	CRAFT FOAM	PAPIER-MÂCHÉ	GLASS	PLASTER/CERAMIC	FABRIC	DRIED/SILK FLOWERS	PAPER	PVC	HARD VINYL	TILE	WROUGHT IRON	PAVEMENT	CONCRETE	DIRT	GRAVEL	GRASS	ASPHALT	FIBRE GLASS	DRYWALL	MASONRY	OTHER	
ADHESIVE SPRAYS																														
All-Purpose Spray Adhesive	30 min	N/A	9 sq. m (30 sq. ft.)		X	X	T	X	X	X	X	X	X	X	T	X														
DECORATIVE FINISHES																														
Leafing Pens	10-15 min	High	30-90 sq. cm (1-3 sq. ft.)		X	X	X	X	X	X	X	X	X	X	X															
Brilliant Metallic	30-60 min	High	8 sq. m (25 sq. ft.)		X	X	X	X	X	X	X				X															
Shimmer Metallic	10 min	High	5.5 sq. m (18 sq. ft.)		X	X		X	X	X	X	X	X	X	X												X			
Chalkboard Paint	15 min	Low	3.7 sq. m (12 sq. ft.)		X	X		X	X	X					T															
Chalky Finish Paint	20-25 min	Very Low, Matte	8 sq. m (25 sq. ft.)		X	X	X	X		X	X			X																
Chalky Finish Clear Sealer	10 min or less	Matte	8 sq. m (25 sq. ft.)		X	X	X	X		X	X																			
SPECIALTY																														
High Heat	15 min	Satin	Up to 6 sq. m (20 sq. ft.)			X																								
High Heat Max	10 min	Satin	Up to 6 sq. m (20 sq. ft.)			X																								
Appliance Epoxy	30 min	High	6-8 sq. m (20-25 sq. ft.)			X																								
Stainless Steel Finish	10 min	Low	8 sq. m (25 sq. ft.)		X	X				X								X												
Clear Varnish	15 min	Gloss	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X																		
Lacquer Spray	15 min	High Gloss	4.5-6 sq. m (15-20 sq. ft.)		X	X	X	X		X	X	X	X																	
Fluorescent Paint	15 min	High	6-8 sq. m (20-25 sq. ft.)		X	X	X			X	X	X		X				X												
Farm & Implement Paint	15 min	High	6-8 sq. m (20-25 sq. ft.)		X	X																								
Farm & Implement Primer	15 min	High	4.5-6 sq. m (15-20 sq. ft.)		X	X																								
Farm & Implement Reducer	15 min	High	4.5-6 sq. m (15-20 sq. ft.)		X	X																								
Farm & Implement Catalyst Acrylic Hardener	15 min	High	4.5-6 sq. m (15-20 sq. ft.)		X	X																								
Camouflage Made with Fusion for Plastic® Technology	15 min	Low	Up to 8 sq. m (25 sq. ft.)		X	X	X	X		X	X	X		X	X	X		X												
Tub & Tile Aerosol	1 hour	Gloss	Up to 121 sq. m (400 sq. ft.)			X				X	X							X												
Tub & Tile Kit	1 hour	Gloss	Up to 9 sq. m (30 sq. ft.)			X				X	X							X												
PROFESSIONAL AEROSOL																														
Line-Up™ Striping Paint, Water Based	20 min	Low	90-180 linear m (300-600 linear ft.)															X	X	X					X					
Line-Up Striping Paint, Solvent Based	20 min	Low	90-180 linear m (300-600 linear ft.)																	X	X	X								
Mark-It™ Marking Chalk	10-15 min	Low	6 sq. m (20 sq. ft.)															X	X	X	X	X	X							
Mark-It Marking Paint, Solvent Based	20 min	Low	120-180 linear m (400-600 linear ft.)																X	X	X	X	X							
Mark-It Marking Paint, Water Based	20 min	Low	120-180 linear m (400-600 linear ft.)																X	X	X	X	X							
Tough Coat™ Advanced	30 min	Gloss, Semi-Gloss and Flat	8 sq. m (25 sq. ft.)			X																							X	
Tough Coat Advanced Primer	30 min	Flat	8 sq. m (25 sq. ft.)			X																							X	

TIPS FOR SUCCESSFUL APPLICATION

Following these simple guidelines will help to ensure a successful finished project.

- 1 A clean, dry surface is important. Ordinary household detergent or mineral spirits usually do the job. Be sure to sand or scrape, if necessary, and use a primer whenever possible. Rusted, glossy or hard surfaces should be sanded to improve adhesion.
- 2 Use aerosol paints and coatings in good weather, ideally when temperatures are 13 °C to 32 °C (55 °F to 90 °F), and less than 85% relative humidity. Avoid painting in direct sunlight and hot, humid weather.
- 3 When applying more than one coat of paint, be aware of recoat times stated in the directions on the can.
- 4 It's a good idea to test your paint or spraying techniques on a scrap piece before beginning your project. A smooth, even application is important.
- 5 Always begin and finish spraying of the object, using an even side-to-side motion, with each pass overlapping your spray pattern by about one third.
- 6 Take your time. Use two-to-three light coats instead of one thick coat.
- 7 Avoid overspray by masking exposed areas with tape or using a drop cloth.
- 8 When painting indoors, always ventilate your room well by opening windows and doors. A fan may also help to keep air circulating.
- 9 Clean spray valve after use by turning can upside down and spraying for 5 seconds. This helps prevent the spray tip from clogging before next use.
- 10 Read directions thoroughly!



Krylon Products Group
Cleveland, Ohio 44115
Visit us on the Web at: krylon.ca
Phone: 1-800-247-3268 • Fax: 1-800-433-0463